



PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe O.D.		A		B		C		E		Weight	Load Capacity (lbf) at Temperature F							Compatible with Rod Sizes
	mm	in	in	in	mm	in	mm	in	mm	in		662	752	914	986	1040	1076	1112	
PC3-65-0-400	73.0	2.875	0.48	0.6	130	5 1/8	1.38	1.8	1.8	815	749							3/8 - 5/8	
PC3-65-1-400	73.0	2.875	0.63	0.67	130	5 1/8	1.58	2.4	1.433	1300								3/8 - 5/8	
PC3-65-2-400	73.0	2.875	0.63	0.67	130	5 1/8	1.58	2.4	1433	1300								3/8 - 5/8	
PC3-65-0-490	73.0	2.875	0.48	0.6	140	5 1/2	1.58	2.4	859	859	859	859	859	859	595	418	330	3/8 - 5/8	
PC3-65-1-490	73.0	2.875	0.63	0.67	140	5 1/2	1.58	2.6	1477	1477	1300	970	595	440	330			3/8 - 5/8	
PC3-65-2-490	73.0	2.875	0.63	0.67	140	5 1/2	1.58	2.6	1477	1477	1300	970	595	440	330			3/8 - 5/8	
PC3-65-0-530	73.0	2.875	0.48	0.6	140	5 1/2	1.58	2.4	859	859	859	859	595	418	330			3/8 - 5/8	
PC3-65-1-530	73.0	2.875	0.63	0.67	140	5 1/2	1.58	2.6	1477	1477	1300	970	595	440	330			3/8 - 5/8	
PC3-65-2-530	73.0	2.875	0.63	0.67	140	5 1/2	1.97	5.1	1763	1763	1763	1763	1763	1631	1212			3/8 - 5/8	
PC3-65-0-560	73.0	2.875	0.48	0.6	150	5 7/8	1.58	2.4	859	859	859	859	727	573	440			3/8 - 5/8	
PC3-65-1-560	73.0	2.875	0.63	0.67	150	5 7/8	1.97	5.3	1763	1763	1763	1763	1763	1763	1675			3/8 - 5/8	
PC3-65-2-560	73.0	2.875	0.63	0.67	150	5 7/8	1.97	5.3	1763	1763	1763	1763	1763	1763	1675			3/8 - 5/8	
PC3-65-0-600	73.0	2.875	0.48	0.6	150	5 7/8	1.97	5.1	859	859	859	859	859	859	859			3/8 - 5/8	
PC3-65-1-600	73.0	2.875	0.63	0.67	150	5 7/8	1.97	5.3	1763	1763	1763	1763	1763	1763	1675			3/8 - 5/8	
PC3-65-2-600	73.0	2.875	0.63	0.67	150	5 7/8	1.97	5.3	1763	1763	1763	1763	1763	1763	1675			3/8 - 5/8	
PC3-80-0-400	88.9	3.5	0.48	0.6	150	5 7/8	1.38	2	749	683								3/8 - 5/8	
PC3-80-1-400	88.9	3.5	0.63	0.67	150	5 7/8	1.58	2.6	1322	1190								3/8 - 5/8	
PC3-80-2-400	88.9	3.5	0.63	0.67	150	5 7/8	1.58	2.6	1322	1190								3/8 - 5/8	
PC3-80-0-490	88.9	3.5	0.48	0.6	150	5 7/8	1.58	2.6	859	859	859	859	837	507	352	286		3/8 - 5/8	
PC3-80-1-490	88.9	3.5	0.63	0.67	150	5 7/8	1.58	2.6	1366	1366	1190	837	507	374	286			3/8 - 5/8	
PC3-80-2-490	88.9	3.5	0.63	0.67	150	5 7/8	1.58	2.6	1366	1366	1190	837	507	374	286			3/8 - 5/8	
PC3-80-0-530	88.9	3.5	0.48	0.6	150	5 7/8	1.58	2.6	859	859	859	837	507	352	286			3/8 - 5/8	
PC3-80-1-530	88.9	3.5	0.63	0.67	150	5 7/8	1.58	2.6	1366	1366	1190	837	507	374	286			3/8 - 5/8	
PC3-80-2-530	88.9	3.5	0.63	0.67	150	5 7/8	1.97	5.5	1763	1763	1763	1763	1763	1256	970			3/8 - 5/8	
PC3-80-0-560	88.9	3.5	0.48	0.6	160	6 5/16	1.58	2.6	859	859	859	859	639	507	374			3/8 - 5/8	
PC3-80-1-560	88.9	3.5	0.63	0.67	160	6 5/16	1.97	5.7	1763	1763	1763	1763	1763	1697	1322			3/8 - 5/8	
PC3-80-2-560	88.9	3.5	0.63	0.67	160	6 5/16	1.97	5.7	1763	1763	1763	1763	1763	1697	1322			3/8 - 5/8	
PC3-80-0-600	88.9	3.5	0.48	0.6	160	6 5/16	1.97	5.5	859	859	859	859	859	859	859			3/8 - 5/8	
PC3-80-1-600	88.9	3.5	0.63	0.67	160	6 5/16	1.97	5.7	1763	1763	1763	1763	1763	1697	1322			3/8 - 5/8	
PC3-80-2-600	88.9	3.5	0.63	0.67	160	6 5/16	1.97	5.7	1763	1763	1763	1763	1763	1697	1322			3/8 - 5/8	
PC3-90-0-400	101.6	4	0.48	0.6	170	6 11/16	1.38	2.2	705	639								3/8 - 5/8	
PC3-90-1-400	101.6	4	0.63	0.67	170	6 11/16	1.58	3.1	1080	992								3/8 - 5/8	
PC3-90-2-400	101.6	4	0.63	0.67	170	6 11/16	1.58	4	1763	1763								3/8 - 5/8	
PC3-90-0-490	101.6	4	0.48	0.6	180	7 1/16	1.58	2.9	859	859	859	859	683	396	286	242		3/8 - 5/8	
PC3-90-1-490	101.6	4	0.63	0.67	180	7 1/16	1.58	3.1	1124	1124	970	683	418	308	242			3/8 - 5/8	
PC3-90-2-490	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1609	1168	903			3/8 - 5/8	
PC3-90-0-530	101.6	4	0.48	0.6	180	7 1/16	1.58	2.9	859	859	859	683	396	286	242			3/8 - 5/8	
PC3-90-1-530	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1609	1168	903			3/8 - 5/8	
PC3-90-2-530	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1609	1168	903			3/8 - 5/8	
PC3-90-0-560	101.6	4	0.48	0.6	180	7 1/16	1.58	2.9	859	859	859	727	507	418	308			3/8 - 5/8	
PC3-90-1-560	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1609	1168	903			3/8 - 5/8	
PC3-90-2-560	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1763	1587	1212			3/8 - 5/8	
PC3-90-0-600	101.6	4	0.48	0.6	180	7 1/16	1.97	6	859	859	859	859	859	859	859			3/8 - 5/8	
PC3-90-1-600	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1763	1587	1212			3/8 - 5/8	
PC3-90-2-600	101.6	4	0.63	0.67	180	7 1/16	1.97	6.2	1763	1763	1763	1763	1763	1587	1212			3/8 - 5/8	


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe OD		A		B		C		D		E		Weight lbs	Load Capacity (lbf) at Temperature F							Compatible with Rod Sizes
	mm	in	in	in	mm	in	mm	in	mm	in	mm	in		662	752	914	986	1040	1076	1112	
PC3-150-0-400	168.3	6.625	0.48	0.6	210	8 1/4	0.71	1.58	3.7	749	661										3/8 - 5/8
PC3-150-1-400	168.3	6.625	0.63	0.67	210	8 1/4	0.95	1.58	5.3	1300	1168										3/8 - 5/8
PC3-150-2-400	168.3	6.625	0.63	0.67	210	8 1/4	0.95	1.58	5.3	1300	1168										3/8 - 5/8
PC3-150-3-400	168.3	6.625	0.79	0.79	210	8 1/4	1.19	2.37	12.1	2910	2910										1/2 - 1
PC3-150-4-400	168.3	6.625	0.95	0.99	210	8 1/4	1.42	2.37	12.3	4034	3946										1/2 - 1 1/2
PC3-150-0-490	168.3	6.625	0.48	0.6	220	8 11/16	0.71	1.58	4	771	771	661	485	286	198	176					3/8 - 5/8
PC3-150-1-490	168.3	6.625	0.63	0.67	220	8 11/16	0.95	1.97	8.2	1763	1763	1763	1763	1168	837	639	639				3/8 - 5/8
PC3-150-2-490	168.3	6.625	0.63	0.67	220	8 11/16	0.95	1.97	8.2	1763	1763	1763	1763	1168	837	639	639				3/8 - 5/8
PC3-150-3-490	168.3	6.625	0.79	0.79	220	8 11/16	1.19	1.97	8.4	2866	2866	2555	1873	1168	837	639					1/2 - 1
PC3-150-4-490	168.3	6.625	0.95	0.99	220	8 11/16	1.42	2.76	14.1	3505	3505	3505	3395	2403	1719	1278					1/2 - 1 1/2
PC3-150-0-530	168.3	6.625	0.48	0.6	220	8 11/16	0.71	1.97	7.9	859	859	859	859	859	815	617					3/8 - 5/8
PC3-150-1-530	168.3	6.625	0.63	0.67	220	8 11/16	0.95	1.97	8.2	1763	1763	1763	1763	1168	837	639					3/8 - 5/8
PC3-150-2-530	168.3	6.625	0.63	0.67	220	8 11/16	0.95	1.97	8.2	1763	1763	1763	1763	1168	837	639					3/8 - 5/8
PC3-150-3-530	168.3	6.625	0.79	0.79	220	8 11/16	1.19	2.37	9.9	2910	2910	2910	2248	1410	1014	771					1/2 - 1
PC3-150-4-530	168.3	6.625	0.95	0.99	220	8 11/16	1.42	3.15	16.5	4034	4034	4034	3968	2513	1785	1344					1/2 - 1 1/2
PC3-150-0-560	168.3	6.625	0.48	0.6	240	9 7/16	0.71	1.97	8.4	859	859	859	859	859	859	859					3/8 - 5/8
PC3-150-1-560	168.3	6.625	0.63	0.67	240	9 7/16	0.95	1.97	8.4	1763	1763	1763	1763	1410	1124	859					3/8 - 5/8
PC3-150-2-560	168.3	6.625	0.63	0.67	240	9 7/16	0.95	1.97	8.4	1763	1763	1763	1763	1410	1124	859					3/8 - 5/8
PC3-150-3-560	168.3	6.625	0.79	0.79	240	9 7/16	1.19	2.76	14.3	2910	2910	2910	2910	2821	2248	1741					1/2 - 1
PC3-150-4-560	168.3	6.625	0.95	0.99	240	9 7/16	1.42	3.15	21.4	4034	4034	4034	4034	4034	3858	3020					1/2 - 1 1/2
PC3-150-0-600	168.3	6.625	0.48	0.6	240	9 7/16	0.71	1.97	8.4	859	859	859	859	859	859	859					3/8 - 5/8
PC3-150-1-600	168.3	6.625	0.63	0.67	240	9 7/16	0.95	1.97	8.4	1763	1763	1763	1763	1410	1124	859					3/8 - 5/8
PC3-150-2-600	168.3	6.625	0.63	0.67	240	9 7/16	0.95	2.76	14.1	1763	1763	1763	1763	1763	1763	1719					3/8 - 5/8
PC3-150-3-600	168.3	6.625	0.79	0.79	240	9 7/16	1.19	3.15	20.3	2910	2910	2910	2910	2910	2910	2535					1/2 - 1
PC3-150-4-600	168.3	6.625	0.95	0.99	240	9 7/16	1.42	3.94	26.5	4034	4034	4034	4034	4034	4034	3769					1/2 - 1 1/2
PC3-175-0-400	193.7	7.625	0.48	0.6	250	9 13/16	0.71	1.58	4.4	727	661										3/8 - 5/8
PC3-175-1-400	193.7	7.625	0.63	0.67	250	9 13/16	0.95	1.58	6	1256	1146										3/8 - 5/8
PC3-175-2-400	193.7	7.625	0.63	0.67	250	9 13/16	0.95	1.78	8.2	1697	1697										3/8 - 5/8
PC3-175-3-400	193.7	7.625	0.79	0.79	250	9 13/16	1.19	2.37	13.7	2910	2910										1/2 - 1
PC3-175-4-400	193.7	7.625	0.95	0.99	250	9 13/16	1.42	2.37	13.9	3615	3615										1/2 - 1 1/2
PC3-175-0-490	193.7	7.625	0.48	0.6	260	10 1/4	0.71	1.58	4.4	749	749	661	462	286	198	154					3/8 - 5/8
PC3-175-1-490	193.7	7.625	0.63	0.67	260	10 1/4	0.95	1.97	9.3	1763	1763	1763	1631	1014	727	551					3/8 - 5/8
PC3-175-2-490	193.7	7.625	0.63	0.67	260	10 1/4	0.95	1.97	9.3	1763	1763	1763	1631	1014	727	551					3/8 - 5/8
PC3-175-3-490	193.7	7.625	0.79	0.79	260	10 1/4	1.19	2.37	11.2	2910	2910	2645	1984	1234	881	683					1/2 - 1
PC3-175-4-490	193.7	7.625	0.95	0.99	260	10 1/4	1.42	2.76	16.3	4034	4034	4034	3351	2138	1521	1124					1/2 - 1 1/2
PC3-175-0-530	193.7	7.625	0.48	0.6	260	10 1/4	0.71	1.97	9	859	859	859	859	859	859	727					3/8 - 5/8
PC3-175-1-530	193.7	7.625	0.63	0.67	260	10 1/4	0.95	1.97	9.3	1763	1763	1763	1631	1014	727	551					3/8 - 5/8
PC3-175-2-530	193.7	7.625	0.63	0.67	260	10 1/4	0.95	1.97	9.3	1763	1763	1763	1631	1014	727	551					3/8 - 5/8
PC3-175-3-530	193.7	7.625	0.79	0.79	260	10 1/4	1.19	2.76	15.9	2910	2910	2910	2094	1499	1102	1/2 - 1					1/2 - 1
PC3-175-4-530	193.7	7.625	0.95	0.99	260	10 1/4	1.42	3.15	18.5	4034	4034	4034	3813	2447	1741	1300					1/2 - 1 1/2
PC3-175-0-560	193.7	7.625	0.48	0.6	260	10 1/4	0.71	1.97	9	859	859	859	859	859	859	749					3/8 - 5/8
PC3-175-1-560	193.7	7.625	0.63	0.67	260	10 1/4	0.95	1.97	9.3	1763	1763	1763	1697	1234	992	771					3/8 - 5/8
PC3-175-2-560	193.7	7.625	0.63	0.67	260	10 1/4	0.95	1.97	9.3	1763	1763	1763	1697	1234	992	771					3/8 - 5/8
PC3-175-3-560	193.7	7.625	0.79	0.79	260	10 1/4	1.19	2.76	15.9	2910	2910	2910	2491	1984	1543	1/2 - 1					1/2 - 1
PC3-175-4-560	193.7	7.625	0.95	0.99	260	10 1/4	1.42	3.15	23.1	4034	4034	4034	4034	4034	3703	2910					1/2 - 1 1/2
PC3-175-0-600	193.7	7.625	0.48	0.6	260	10 1/4	0.71	1.97	9	859	859	859	859	859	859	859					3/8 - 5/8
PC3-175-1-600	193.7	7.625	0.63	0.67	260	10 1/4	0.95	2.37	11	1763	1763	1763	1763	1477	1190	925					3/8 - 5/8
PC3-175-2-600	193.7	7.625	0.63	0.67	260	10 1/4	0.95	2.76	15.4	1763	1763	1763	1763	1763	1763	1521					3/8 - 5/8
PC3-175-3-600	193.7	7.625	0.79	0.79	260	10 1/4	1.19	3.15	22.5	2910	2910	2910	2910	2910	2821	2447					1/2 - 1
PC3-175-4-600	193.7	7.625	0.95	0.99	260	10 1/4	1.42	3.94	28.7	4034	4034	4034	4034	4034	4034	3637					1/2 - 1 1/2
PC3-175-5-600	193.7	7.625	1.19	1.15	260	10 1/4	1.78	3.94	39.5	6724	6724	6724	6724	6724	6724	6349					1/2 - 1 1/2


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe OD		A	B	C		D	E	Weight	Load Capacity (Lbf) at Temperature F							Compatible with Rod Sizes	
	mm	in			in	in				mm	in	in	in	lbs	662	752		914
PC3-225-0-400	244.5	9.625	0.48	0.6	290	11 7/16	0.71	1.58	5.1	639	573							3/8 - 5/8
PC3-225-1-400	244.5	9.625	0.63	0.67	290	11 7/16	0.95	1.58	6.8	1102	992							3/8 - 5/8
PC3-225-2-400	244.5	9.625	0.63	0.67	290	11 7/16	0.95	1.78	9.7	1455	1455							3/8 - 5/8
PC3-225-3-400	244.5	9.625	0.79	0.79	290	11 7/16	1.19	2.37	16.1	2910	2910							1/2 - 1
PC3-225-4-400	244.5	9.625	0.95	0.99	290	11 7/16	1.42	2.56	29.1	3813	3813							1/2 - 1 1/2
PC3-225-5-400	244.5	9.625	1.19	1.15	290	11 7/16	1.78	3.55	41.4	6106	6106							1/2 - 1 1/2
PC3-225-6-400	244.5	9.625	1.42	1.62	290	11 7/16	2.13	3.55	43.7	8399	8399							3/4 - 2 1/2
PC3-225-0-490	244.5	9.625	0.48	0.6	300	11 13/16	0.71	1.58	5.3	661	661	573	396	242	176	132		3/8 - 5/8
PC3-225-1-490	244.5	9.625	0.63	0.67	300	11 13/16	0.95	1.97	10.8	1763	1763	1763	1388	881	617	485		3/8 - 5/8
PC3-225-2-490	244.5	9.625	0.63	0.67	300	11 13/16	0.95	1.97	10.8	1763	1763	1763	1388	881	617	485		3/8 - 5/8
PC3-225-3-490	244.5	9.625	0.79	0.79	300	11 13/16	1.19	2.37	13.2	2491	2491	2292	1697	1058	749	573		1/2 - 1
PC3-225-4-490	244.5	9.625	0.95	0.99	300	11 13/16	1.42	3.15	21.8	4034	4034	3946	2976	1895	1344	1014		1/2 - 1 1/2
PC3-225-5-490	244.5	9.625	1.19	1.15	300	11 13/16	1.78	3.15	28	5930	5930	5930	4894	3174	2248	1631		1/2 - 1 1/2
PC3-225-6-490	244.5	9.625	1.42	1.62	300	11 13/16	2.13	3.94	36.2	8399	8399	8157	6327	4100	2910	2116		3/4 - 2 1/2
PC3-225-0-530	244.5	9.625	0.48	0.6	300	11 13/16	0.71	1.97	10.8	859	859	859	859	859	617	462		3/8 - 5/8
PC3-225-1-530	244.5	9.625	0.63	0.67	300	11 13/16	0.95	1.97	10.8	1763	1763	1763	1388	881	617	485		3/8 - 5/8
PC3-225-2-530	244.5	9.625	0.63	0.67	300	11 13/16	0.95	1.97	10.8	1763	1763	1763	1388	881	617	485		3/8 - 5/8
PC3-225-3-530	244.5	9.625	0.79	0.79	300	11 13/16	1.19	2.76	18.5	2667	2667	2667	2601	1785	1278	947		1/2 - 1
PC3-225-4-530	244.5	9.625	0.95	0.99	300	11 13/16	1.42	3.15	27.1	4034	4034	4034	4034	3152	2226	1631		1/2 - 1 1/2
PC3-225-5-530	244.5	9.625	1.19	1.15	300	11 13/16	1.78	3.94	34.6	5930	5930	5930	5930	3968	2799	2050		1/2 - 1 1/2
PC3-225-6-530	244.5	9.625	1.42	1.62	300	11 13/16	2.13	3.94	47.6	8399	8399	8399	8399	7716	5401	3836		3/4 - 2 1/2
PC3-225-0-560	244.5	9.625	0.48	0.6	300	11 13/16	0.71	1.97	10.8	859	859	859	859	859	837	639		3/8 - 5/8
PC3-225-1-560	244.5	9.625	0.63	0.67	300	11 13/16	0.95	1.97	10.8	1763	1763	1763	1455	1058	837	661		3/8 - 5/8
PC3-225-2-560	244.5	9.625	0.63	0.67	300	11 13/16	0.95	2.37	13	1763	1763	1763	1763	1278	1014	793		3/8 - 5/8
PC3-225-3-560	244.5	9.625	0.79	0.79	300	11 13/16	1.19	3.15	20.9	2667	2667	2667	2601	2358	1940	1521		1/2 - 1
PC3-225-4-560	244.5	9.625	0.95	0.99	300	11 13/16	1.42	3.15	27.1	4034	4034	4034	4034	3681	2932	2292		1/2 - 1 1/2
PC3-225-5-560	244.5	9.625	1.19	1.15	300	11 13/16	1.78	3.94	46.1	6525	6525	6525	6525	6525	6305	5313		1/2 - 1 1/2
PC3-225-6-560	244.5	9.625	1.42	1.62	300	11 13/16	2.13	3.94	47.6	8399	8399	8399	8399	8399	6922	5489		3/4 - 2 1/2
PC3-225-0-600	244.5	9.625	0.48	0.6	300	11 13/16	0.71	1.97	10.8	859	859	859	859	859	837	639		3/8 - 5/8
PC3-225-1-600	244.5	9.625	0.63	0.67	300	11 13/16	0.95	2.76	18.1	1763	1763	1763	1763	1763	1675	1300		3/8 - 5/8
PC3-225-2-600	244.5	9.625	0.63	0.67	300	11 13/16	0.95	2.76	18.1	1763	1763	1763	1763	1763	1675	1300		3/8 - 5/8
PC3-225-3-600	244.5	9.625	0.79	0.79	300	11 13/16	1.19	3.15	26.9	2910	2910	2910	2910	2910	2888	2248		1/2 - 1
PC3-225-4-600	244.5	9.625	0.95	0.99	300	11 13/16	1.42	3.94	45.2	4034	4034	4034	4034	4034	4034	4034		1/2 - 1 1/2
PC3-225-5-600	244.5	9.625	1.19	1.15	300	11 13/16	1.78	3.94	46.1	6525	6525	6525	6525	6525	6305	5313		1/2 - 1 1/2
PC3-225-6-600	244.5	9.625	1.42	1.62	300	11 13/16	2.13	3.94	59.5	8399	8399	8399	8399	8399	8399	8399		3/4 - 2 1/2


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe O/D		A	B	C		D	E	Weight	Load Capacity (lb/f) at Temperature F							Compatible with Rod Sizes		
	mm	in			in	mm				in	in	lbs	662	752	914	986		1040	1076
PC3-300-1-400	323.9	12.75	0.63	0.67	350	13 3/4	0.95	1.78	12.1	1300	1300							3/8 - 5/8	
PC3-300-2-400	323.9	12.75	0.63	0.67	350	13 3/4	0.95	1.78	12.1	1300	1300							3/8 - 5/8	
PC3-300-3-400	323.9	12.75	0.79	0.79	350	13 3/4	1.19	2.37	19.6	2601	2491							1/2 - 1	
PC3-300-4-400	323.9	12.75	0.95	0.99	350	13 3/4	1.42	2.56	36.4	4034	4034							1/2 - 1 1/2	
PC3-300-5-400	323.9	12.75	1.19	1.15	350	13 3/4	1.78	3.55	50.7	5158	5158							1/2 - 1 1/2	
PC3-300-6-400	323.9	12.75	1.42	1.62	350	13 3/4	2.13	3.55	54.7	8399	8399							3/4 - 2 1/2	
PC3-300-7-400	323.9	12.75	1.66	1.78	360	14 3/16	2.49	4.34	84	12059	12059							1 1/4 - 2 1/2	
PC3-300-8-400	323.9	12.75	1.89	2.05	370	14 9/16	2.84	5.12	104.5	21649	20745							1 3/4 - 3 1/4	
PC3-300-1-490	323.9	12.75	0.63	0.67	370	14 9/16	0.95	1.97	13.7	1631	1631	1455	1102	705	507	374		3/8 - 5/8	
PC3-300-2-490	323.9	12.75	0.63	0.67	370	14 9/16	0.95	1.97	13.7	1631	1631	1455	1102	705	507	374		3/8 - 5/8	
PC3-300-3-490	323.9	12.75	0.79	0.79	370	14 9/16	1.19	2.76	23.4	2910	2910	2910	2248	1455	1036	749		1/2 - 1	
PC3-300-4-490	323.9	12.75	0.95	0.99	370	14 9/16	1.42	3.15	33.5	4034	4034	4034	4034	2799	1962	1410		1/2 - 1 1/2	
PC3-300-5-490	323.9	12.75	1.19	1.15	370	14 9/16	1.78	3.94	43.4	6724	6724	6239	4938	3262	2292	1631		1/2 - 1 1/2	
PC3-300-6-490	323.9	12.75	1.42	1.62	370	14 9/16	2.13	3.94	58.6	8399	8399	8399	8399	6349	4409	3174		3/4 - 2 1/2	
PC3-300-7-490	323.9	12.75	1.66	1.78	370	14 9/16	2.49	4.34	66.6	12059	12059	12059	10361	7054	4894	3527		1 1/4 - 2 1/2	
PC3-300-8-490	323.9	12.75	1.89	2.05	370	14 9/16	2.84	4.73	94.4	21539	21539	20304	17107	12169	8664	6217		1 3/4 - 3 1/4	
PC3-300-1-530	323.9	12.75	0.63	0.67	370	14 9/16	0.95	1.97	13.7	1631	1631	1455	1102	705	507	374		3/8 - 5/8	
PC3-300-2-530	323.9	12.75	0.63	0.67	370	14 9/16	0.95	2.37	16.3	1763	1763	1763	1322	837	595	440		3/8 - 5/8	
PC3-300-3-530	323.9	12.75	0.79	0.79	370	14 9/16	1.19	2.76	23.4	2910	2910	2910	2248	1455	1036	749		1/2 - 1	
PC3-300-4-530	323.9	12.75	0.95	0.99	370	14 9/16	1.42	3.15	33.5	4034	4034	4034	4034	2799	1962	1410		1/2 - 1 1/2	
PC3-300-5-530	323.9	12.75	1.19	1.15	370	14 9/16	1.78	3.94	57.5	6724	6724	6724	6724	6194	4299	3108		1/2 - 1 1/2	
PC3-300-6-530	323.9	12.75	1.42	1.62	370	14 9/16	2.13	3.94	58.6	8399	8399	8399	8399	6349	4409	3174		3/4 - 2 1/2	
PC3-300-7-530	323.9	12.75	1.66	1.78	370	14 9/16	2.49	4.34	82.7	12059	12059	12059	12059	11596	8245	5908		1 1/4 - 2 1/2	
PC3-300-8-530	323.9	12.75	1.89	2.05	370	14 9/16	2.84	4.73	94.4	21539	21539	20304	17107	12169	8664	6217		1 3/4 - 3 1/4	
PC3-300-1-560	323.9	12.75	0.63	0.67	390	15 3/8	0.95	1.97	14.1	1631	1631	1477	1146	837	661	529		3/8 - 5/8	
PC3-300-2-560	323.9	12.75	0.63	0.67	390	15 3/8	0.95	2.76	23.4	1763	1763	1763	1763	1763	1499	1168		3/8 - 5/8	
PC3-300-3-560	323.9	12.75	0.79	0.79	390	15 3/8	1.19	3.15	33.7	2447	2447	2447	2447	2358	2204	1962		1/2 - 1	
PC3-300-4-560	323.9	12.75	0.95	0.99	390	15 3/8	1.42	3.94	42.8	4034	4034	4034	4034	4034	3196	2513		1/2 - 1 1/2	
PC3-300-5-560	323.9	12.75	1.19	1.15	390	15 3/8	1.78	3.94	58	5269	5269	5269	5269	5269	5092	4673		1/2 - 1 1/2	
PC3-300-6-560	323.9	12.75	1.42	1.62	390	15 3/8	2.13	3.55	67.2	8399	8399	8399	8399	8399	8399	6922		3/4 - 2 1/2	
PC3-300-7-560	323.9	12.75	1.66	1.78	390	15 3/8	2.49	4.34	84.7	12059	12059	12059	12059	12059	10075	8046		1 1/4 - 2 1/2	
PC3-300-8-560	323.9	12.75	1.89	2.05	390	15 3/8	2.84	4.73	115.1	24052	24052	24052	24052	24052	19665	15851		12588	1 3/4 - 3 1/4
PC3-300-1-600	323.9	12.75	0.63	0.67	390	15 3/8	0.95	2.76	23.4	1763	1763	1763	1763	1763	1499	1168		3/8 - 5/8	
PC3-300-2-600	323.9	12.75	0.63	0.67	390	15 3/8	0.95	3.15	26.7	1763	1763	1763	1763	1763	1697	1322		3/8 - 5/8	
PC3-300-3-600	323.9	12.75	0.79	0.79	390	15 3/8	1.19	3.94	42.5	2910	2910	2910	2910	2910	2910	2491		1/2 - 1	
PC3-300-4-600	323.9	12.75	0.95	0.99	390	15 3/8	1.42	3.94	57.1	4034	4034	4034	4034	4034	4034	4034		1/2 - 1 1/2	
PC3-300-5-600	323.9	12.75	1.19	1.15	390	15 3/8	1.78	3.55	66.6	6724	6724	6724	6724	6724	6724	6393		1/2 - 1 1/2	
PC3-300-6-600	323.9	12.75	1.42	1.62	390	15 3/8	2.13	4.34	81.6	8399	8399	8399	8399	8399	8399	8399		3/4 - 2 1/2	
PC3-300-7-600	323.9	12.75	1.66	1.78	390	15 3/8	2.49	4.34	101.6	12059	12059	12059	12059	12059	12059	11949		1 1/4 - 2 1/2	
PC3-300-8-600	323.9	12.75	1.89	2.05	390	15 3/8	2.84	6.3	151.5	24052	24052	24052	24052	24052	21142	16799		1 3/4 - 3 1/4	


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe O.D.		A		B		C		D		E		Weight	Load Capacity (lb) at Temperature F							Compatible with Rod Sizes
	mm	in	in	in	mm	in	in	in	mm	in	in	in		662	752	914	986	1040	1076	1112	
PC3-400-1-400	406.4	16	0.63	0.67	420	16 9/16	0.95	1.78	14.6	1124	1124										3/8 - 5/8
PC3-400-2-400	406.4	16	0.63	0.67	420	16 9/16	0.95	2.37	23.4	1763	1763										3/8 - 5/8
PC3-400-3-400	406.4	16	0.79	0.79	420	16 9/16	1.19	2.17	27.1	2491	2491										1/2 - 1
PC3-400-4-400	406.4	16	0.95	0.99	420	16 9/16	1.42	2.56	43.4	4034	4034										1/2 - 1 1/2
PC3-400-5-400	406.4	16	1.19	1.15	420	16 9/16	1.78	3.55	61.5	6613	6613										1/2 - 1 1/2
PC3-400-6-400	406.4	16	1.42	1.62	420	16 9/16	2.13	4.34	77.6	8399	8399										3/4 - 2 1/2
PC3-400-7-400	406.4	16	1.66	1.78	420	16 9/16	2.49	4.34	98.1	12059	12059										1 1/4 - 2 1/2
PC3-400-8-400	406.4	16	1.89	2.05	420	16 9/16	2.84	5.12	119.9	17967	17196										1 3/4 - 3 1/4
PC3-400-9-400	406.4	16	2.21	2.29	470	18 1/2	3.31	5.91	179.7	22046	22046										1 3/4 - 3 1/4
PC3-400-10-400	406.4	16	2.52	2.56	500	19 11/16	3.78	7.09	294.8	32474	32474										1 3/4 - 3 1/4
PC3-400-1-490	406.4	16	0.63	0.67	430	16 15/16	0.95	1.97	16.1	1455	1455	1300	992	617	440	330					3/8 - 5/8
PC3-400-2-490	406.4	16	0.63	0.67	430	16 15/16	0.95	1.97	16.1	1455	1300	992	617	440	330						3/8 - 5/8
PC3-400-3-490	406.4	16	0.79	0.79	430	16 15/16	1.19	2.76	27.8	2645	2645	2358	1829	1168	837	617					1/2 - 1
PC3-400-4-490	406.4	16	0.95	0.99	430	16 15/16	1.42	3.15	39.9	4034	4034	4034	3439	2270	1587	1146					1/2 - 1 1/2
PC3-400-5-490	406.4	16	1.19	1.15	430	16 15/16	1.78	3.94	50.9	6062	6062	5489	4343	2843	2006	1433					1/2 - 1 1/2
PC3-400-6-490	406.4	16	1.42	1.62	430	16 15/16	2.13	3.94	69.7	8399	8399	8399	7650	5202	3615	2601					3/4 - 2 1/2
PC3-400-7-490	406.4	16	1.66	1.78	430	16 15/16	2.49	4.34	96.8	12059	12059	12059	10591	7098	5114	3728					1 1/4 - 2 1/2
PC3-400-8-490	406.4	16	1.89	2.05	430	16 15/16	2.84	4.73	109.6	17879	17879	16821	14153	10008	7068	5114					1 3/4 - 3 1/4
PC3-400-9-490	406.4	16	2.21	2.29	440	17 5/16	3.31	5.52	155.9	22046	22046	22046	18761	13690	9700	7068					1 3/4 - 3 1/4
PC3-400-10-490	406.4	16	2.52	2.56	470	18 1/2	3.78	6.3	190	34259	34259	32804	27910	20723	15123	10714					1 3/4 - 3 1/4
PC3-400-1-530	406.4	16	0.63	0.67	430	16 15/16	0.95	1.97	16.1	1455	1455	1300	992	617	440	330					3/8 - 5/8
PC3-400-2-530	406.4	16	0.63	0.67	430	16 15/16	0.95	2.37	19.4	1763	1763	1565	1168	749	529	396					3/8 - 5/8
PC3-400-3-530	406.4	16	0.79	0.79	430	16 15/16	1.19	3.15	39.5	2910	2910	2910	2226	1565	1124						1/2 - 1
PC3-400-4-530	406.4	16	0.95	0.99	430	16 15/16	1.42	3.94	49.6	4034	4034	4034	4034	2821	1984	1433					1/2 - 1 1/2
PC3-400-5-530	406.4	16	1.19	1.15	430	16 15/16	1.78	3.94	67.9	6724	6724	6724	6724	5070	3527	2535					1/2 - 1 1/2
PC3-400-6-530	406.4	16	1.42	1.62	430	16 15/16	2.13	4.34	76.5	8399	8399	8399	8399	5709	3968	2866					3/4 - 2 1/2
PC3-400-7-530	406.4	16	1.66	1.78	430	16 15/16	2.49	4.34	96.8	12059	12059	12059	10591	7098	5114	3728					1 1/4 - 2 1/2
PC3-400-8-530	406.4	16	1.89	2.05	430	16 15/16	2.84	5.52	126.8	20855	20855	19621	16512	11684	8289	5952					1 3/4 - 3 1/4
PC3-400-9-530	406.4	16	2.21	2.29	440	17 5/16	3.31	5.52	155.9	22046	22046	22046	18761	13690	9700	7068					1 3/4 - 3 1/4
PC3-400-10-530	406.4	16	2.52	2.56	490	19 5/16	3.78	6.3	256.4	38536	38536	38536	38536	38536	30820	21362					1 3/4 - 3 1/4
PC3-400-1-560	406.4	16	0.63	0.67	460	18 1/8	0.95	2.37	20.1	1763	1763	1587	1234	903	705	551					3/8 - 5/8
PC3-400-2-560	406.4	16	0.63	0.67	460	18 1/8	0.95	2.76	28	1763	1763	1763	1499	1190	925						3/8 - 5/8
PC3-400-3-560	406.4	16	0.79	0.79	460	18 1/8	1.19	3.15	40.8	2910	2910	2910	2910	2579	2050	1609					1/2 - 1
PC3-400-4-560	406.4	16	0.95	0.99	460	18 1/8	1.42	3.94	68.1	4034	4034	4034	4034	4034	34791						1/2 - 1 1/2
PC3-400-5-560	406.4	16	1.19	1.15	460	18 1/8	1.78	3.94	70.1	6724	6724	6724	6724	5687	4497	3571					1/2 - 1 1/2
PC3-400-6-560	406.4	16	1.42	1.62	460	18 1/8	2.13	3.55	79.6	8311	8311	8311	8311	7142	5709						3/4 - 2 1/2
PC3-400-7-560	406.4	16	1.66	1.78	460	18 1/8	2.49	5.12	117.1	12059	12059	12059	12059	9810	7826						1 1/4 - 2 1/2
PC3-400-8-560	406.4	16	1.89	2.05	460	18 1/8	2.84	5.12	145.5	22685	22685	22685	22509	17681	14241	11309					1 3/4 - 3 1/4
PC3-400-9-560	406.4	16	2.21	2.29	460	18 1/8	3.31	5.91	169.5	22046	22046	22046	21495	17328	13778						1 3/4 - 3 1/4
PC3-400-10-560	406.4	16	2.52	2.56	490	19 5/16	3.78	6.3	256.4	38536	38536	38536	38536	38536	34215	27006					1 3/4 - 3 1/4
PC3-400-1-600	406.4	16	0.63	0.67	460	18 1/8	0.95	2.76	28	1763	1763	1763	1763	1499	1190	925					3/8 - 5/8
PC3-400-2-600	406.4	16	0.63	0.67	460	18 1/8	0.95	3.15	39.9	1763	1763	1763	1763	1763	1763	1631					3/8 - 5/8
PC3-400-3-600	406.4	16	0.79	0.79	460	18 1/8	1.19	3.94	67.7	2910	2910	2910	2910	2910	2910	2910					1/2 - 1
PC3-400-4-600	406.4	16	0.95	0.99	460	18 1/8	1.42	3.94	68.1	4034	4034	4034	4034	4034	3914						1/2 - 1 1/2
PC3-400-5-600	406.4	16	1.19	1.15	460	18 1/8	1.78	3.55	78.9	6724	6724	6724	6724	6724	6613						1/2 - 1 1/2
PC3-400-6-600	406.4	16	1.42	1.62	460	18 1/8	2.13	3.94	105.8	8399	8399	8399	8399	8399	8399						3/4 - 2 1/2
PC3-400-7-600	406.4	16	1.66	1.78	460	18 1/8	2.49	5.52	151	12059	12059	12059	12059	12059	12059						1 1/4 - 2 1/2
PC3-400-8-600	406.4	16	1.89	2.05	460	18 1/8	2.84	4.73	178.6	24052	24052	24052	24052	24052	24052						1 3/4 - 3 1/4
PC3-400-9-600	406.4	16	2.21	2.29	460	18 1/8	3.31	5.52	211.2	22046	22046	22046	22046	22046	22046						1 3/4 - 3 1/4
PC3-400-10-600	406.4	16	2.52	2.56	490	19 5/16	3.78	7.09	286.8	38536	38536	38536	38536	38536	38492	30379					1 3/4 - 3 1/4


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F.

Part Number	Pipe O/D		A in	B in	C		D		E in	Weight lbs	Load Capacity (lbf) at Temperature F						Compatible with Rod Sizes	
	mm	in			mm	in	mm	in			mm	in	662	752	914	986		1040
PC3-600-3-400	609.6	24	0.79	0.79	520	20 1/2	1.18	2.56	57.5	2910	2910						1/2 - 1	
PC3-600-4-400	609.6	24	0.94	0.98	520	20 1/2	1.42	2.56	58	3571	3571						1/2 - 1/2	
PC3-600-5-400	609.6	24	1.18	1.14	520	20 1/2	1.77	3.54	81.4	5202	5202						1/2 - 1/2	
PC3-600-6-400	609.6	24	1.42	1.61	520	20 1/2	2.13	4.33	127.2	8399	8399						3/4 - 2/2	
PC3-600-7-400	609.6	24	1.65	1.77	520	20 1/2	2.48	5.12	154.1	12059	12059						1 1/4 - 2/2	
PC3-600-8-400	609.6	24	1.89	2.05	550	21 5/8	2.83	5.91	222.4	20547	20017						1 3/4 - 3 1/4	
PC3-600-9-400	609.6	24	2.2	2.28	600	23 5/8	3.31	5.91	310	22046	22046						1 3/4 - 3 1/4	
PC3-600-10-400	609.6	24	2.52	2.56	610	24	3.78	7.09	381.8	33113	33113						1 3/4 - 3 1/4	
PC3-600-11-400	609.6	24	2.83	2.72	640	25 3/16	4.25	7.09	405.2	41226	40873						1 3/4 - 3 1/4	
PC3-600-12-400	609.6	24	3.15	3.03	670	26 3/8	4.72	7.87	586.2	68982	68673						3 - 3 1/4	
PC3-600-13-400	609.6	24	3.15	3.35	670	26 3/8	4.72	7.87	586	67968	67968						3 - 3 1/4	
PC3-600-3-490	609.6	24	0.79	0.79	540	21 1/4	1.18	3.15	42.5	2491	2491	2248	1785	1168	815	595	1/2 - 1	
PC3-600-4-490	609.6	24	0.94	0.98	540	21 1/4	1.42	3.94	67.2	4034	4034	4034	3373	2248	1565	1124	1/2 - 1/2	
PC3-600-5-490	609.6	24	1.18	1.14	540	21 1/4	1.77	3.94	90.8	6018	6018	6018	5842	4034	2821	2050	1/2 - 1/2	
PC3-600-6-490	609.6	24	1.42	1.61	540	21 1/4	2.13	3.54	103.8	8399	8399	8399	8399	6150	4431	3174	3/4 - 2/2	
PC3-600-7-490	609.6	24	1.65	1.77	540	21 1/4	2.48	4.72	141.5	12059	12059	12059	10758	7826	5643	4034	1 1/4 - 2/2	
PC3-600-8-490	609.6	24	1.89	2.05	540	21 1/4	2.83	4.72	175	17570	17570	16953	14550	11067	8201	5776	1 3/4 - 3 1/4	
PC3-600-9-490	609.6	24	2.2	2.28	560	22 1/16	3.31	5.91	222.9	22046	22046	22046	19069	14506	10758	7561	1 3/4 - 3 1/4	
PC3-600-10-490	609.6	24	2.52	2.56	610	24	3.78	6.3	335.8	41138	41138	40366	35979	29563	22861	16159	1 3/4 - 3 1/4	
PC3-600-11-490	609.6	24	2.83	2.72	620	24 7/16	4.25	7.09	384.3	41623	41623	41623	40631	33422	25838	18254	1 3/4 - 3 1/4	
PC3-600-12-490	609.6	24	3.15	3.03	630	24 13/16	4.72	8.27	462.1	52977	52977	51962	46319	38095	29453	20811	3 - 3 1/4	
PC3-600-13-490	609.6	24	3.15	3.35	660	26	4.72	7.87	569	67968	67968	67968	67968	59635	48501	36243	3 - 3 1/4	
PC3-600-3-530	609.6	24	0.79	0.79	540	21 1/4	1.18	3.15	53.1	2910	2910	2910	2667	1785	1256	881	1/2 - 1	
PC3-600-4-530	609.6	24	0.94	0.98	540	21 1/4	1.42	3.94	89.4	4034	4034	4034	3404	4012	2799	2028	1/2 - 1/2	
PC3-600-5-530	609.6	24	1.18	1.14	540	21 1/4	1.77	3.94	90.8	6018	6018	6018	5842	4034	2821	2050	1/2 - 1/2	
PC3-600-6-530	609.6	24	1.42	1.61	540	21 1/4	2.13	3.54	103.8	8399	8399	8399	8399	6150	4431	3174	3/4 - 2/2	
PC3-600-7-530	609.6	24	1.65	1.77	540	21 1/4	2.48	4.33	156.3	12059	12059	12059	12059	10471	7660	5467	1 1/4 - 2/2	
PC3-600-8-530	609.6	24	1.89	2.05	540	21 1/4	2.83	5.12	185.2	17218	17218	17218	17219	13029	9656	6790	1 3/4 - 3 1/4	
PC3-600-9-530	609.6	24	2.2	2.28	580	22 13/16	3.31	5.51	280.6	22046	22046	22046	22046	22046	20547	14528	1 3/4 - 3 1/4	
PC3-600-10-530	609.6	24	2.52	2.56	610	24	3.78	6.3	335.8	41138	41138	40366	35979	29563	22861	16159	1 3/4 - 3 1/4	
PC3-600-11-530	609.6	24	2.83	2.72	620	24 7/16	4.25	7.09	384.3	41623	41623	41623	40631	33422	25838	18254	1 3/4 - 3 1/4	
PC3-600-12-530	609.6	24	3.15	3.03	630	24 13/16	4.72	9.45	524.3	57055	57055	57055	52955	43519	33642	23787	3 - 3 1/4	
PC3-600-13-530	609.6	24	3.15	3.35	660	26	4.72	7.87	569	67968	67968	67968	67968	59635	48501	36243	3 - 3 1/4	
PC3-600-3-560	609.6	24	0.79	0.79	560	22 1/16	1.18	3.94	67.5	2910	2910	2910	2910	2535	2006	1587	1/2 - 1	
PC3-600-4-560	609.6	24	0.94	0.98	560	22 1/16	1.42	3.94	90.2	3659	3659	3659	3659	3659	3637	2998	1/2 - 1/2	
PC3-600-5-560	609.6	24	1.18	1.14	560	22 1/16	1.77	3.54	103.6	6437	6437	6437	6437	6437	6437	6437	4166	1/2 - 1/2
PC3-600-6-560	609.6	24	1.42	1.61	560	22 1/16	2.13	4.33	128.3	8399	8399	8399	8399	8113	6503	5180	3/4 - 2/2	
PC3-600-7-560	609.6	24	1.65	1.77	560	22 1/16	2.48	4.72	172.6	12059	12059	12059	12059	12059	9810	7782	1 1/4 - 2/2	
PC3-600-8-560	609.6	24	1.89	2.05	560	22 1/16	2.83	6.3	229.7	17218	17218	17218	17218	16997	13778	10912	1 3/4 - 3 1/4	
PC3-600-9-560	609.6	24	2.2	2.28	580	22 13/16	3.31	5.51	280.6	22046	22046	22046	22046	22046	22046	22046	17901	1 3/4 - 3 1/4
PC3-600-10-560	609.6	24	2.52	2.56	610	24	3.78	6.3	335.8	41138	41138	40366	36376	30423	25022	19907	1 3/4 - 3 1/4	
PC3-600-11-560	609.6	24	2.83	2.72	620	24 7/16	4.25	8.27	445.1	41623	41623	41623	41623	40102	32981	26257	1 3/4 - 3 1/4	
PC3-600-12-560	609.6	24	3.15	3.03	650	25 9/16	4.72	7.87	555.6	61533	61533	61533	61533	61464	52051	42262	3 - 3 1/4	
PC3-600-13-560	609.6	24	3.15	3.35	660	26	4.72	8.27	595.9	67968	67968	67968	67968	63382	53660	43585	3 - 3 1/4	
PC3-600-3-600	609.6	24	0.79	0.79	560	22 1/16	1.18	3.94	89.9	2910	2910	2910	2910	2910	2910	2910	1/2 - 1	
PC3-600-4-600	609.6	24	0.94	0.98	560	22 1/16	1.42	3.54	101.6	3924	3924	3924	3924	3924	3924	3924	1/2 - 1/2	
PC3-600-5-600	609.6	24	1.18	1.14	560	22 1/16	1.77	4.33	126.3	6437	6437	6437	6437	6437	6437	6437	3924	1/2 - 1/2
PC3-600-6-600	609.6	24	1.42	1.61	560	22 1/16	2.13	4.72	167.6	8399	8399	8399	8399	8399	8399	8399	3/4 - 2/2	
PC3-600-7-600	609.6	24	1.65	1.77	560	22 1/16	2.48	4.72	230.2	12059	12059	12059	12059	12059	12059	12059	1 1/4 - 2/2	
PC3-600-8-600	609.6	24	1.89	2.05	560	22 1/16	2.83	5.12	250.2	19003	19003	19003	19003	19003	19003	17151	1 3/4 - 3 1/4	
PC3-600-9-600	609.6	24	2.2	2.28	580	22 13/16	3.31	6.69	338.6	22046	22046	22046	22046	22046	22046	21737	1 3/4 - 3 1/4	
PC3-600-10-600	609.6	24	2.52	2.56	630	24 13/16	3.78	7.09	475.8	44599	44599	44599	44599	44599	44599	38669	1 3/4 - 3 1/4	
PC3-600-11-600	609.6	24	2.83	2.72	640	25 3/16	4.25	7.48	511.5	45040	45040	45040	45040	45040	45040	40961	1 3/4 - 3 1/4	
PC3-600-12-600	609.6	24	3.15	3.03	650	25 9/16	4.72	9.84	687.8	61533	61533	61533	61533	61533	61533	52822	3 - 3 1/4	
PC3-600-13-600	609.6	24	3.15	3.35	660	26	4.72	11.81	837.3	67968	67968	67968	67968	67968	67968	62258	3 - 3 1/4	


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F.

Part Number	Pipe O/D		A		B		C		D		E		Weight	Load Capacity (lb) at Temperature F							Compatible with Rod Sizes
	mm	in	in	in	mm	in	mm	in	mm	in	mm	in		662	752	914	986	1040	1076	1112	
PC3-750-4-400	762	30	0.95	0.99	640	25 3/16	1.42	2.56	71.4	3924	3725										1/2 - 1 1/2
PC3-750-5-400	762	30	1.19	1.15	640	25 3/16	1.78	4.34	122.6	6327	6018										1/2 - 1 1/2
PC3-750-6-400	762	30	1.42	1.62	640	25 3/16	2.13	4.34	153.7	8399	8399										3/4 - 2 1/2
PC3-750-7-400	762	30	1.66	1.78	640	25 3/16	2.49	5.91	213.2	12059	12059										1 1/4 - 2 1/2
PC3-750-8-400	762	30	1.89	2.05	640	25 3/16	2.84	5.91	261.2	17989	17504										1 3/4 - 3 1/4
PC3-750-9-400	762	30	2.21	2.29	680	26 3/4	3.31	5.91	365.3	22046	22046										1 3/4 - 3 1/4
PC3-750-10-400	762	30	2.52	2.56	710	27 15/16	3.78	7.09	456.6	34766	34458										1 3/4 - 3 1/4
PC3-750-11-400	762	30	2.84	2.72	720	28 3/8	4.26	8.67	562.8	41953	41953										1 3/4 - 3 1/4
PC3-750-12-400	762	30	3.15	3.04	750	29 1/2	4.73	7.88	668.9	58532	58268										3 - 3 1/4
PC3-750-13-400	762	30	3.15	3.35	750	29 1/2	4.73	8.67	731.5	62346	62346										3 - 3 1/4
PC3-750-4-490	762	30	0.95	0.99	660	26	1.42	3.94	109.3	4034	4034	4034	4034	3549	2469	1785					1/2 - 1 1/2
PC3-750-5-490	762	30	1.19	1.15	660	26	1.78	3.94	110.2	5224	5224	5224	5158	3571	2469	1807					1/2 - 1 1/2
PC3-750-6-490	762	30	1.42	1.62	660	26	2.13	3.55	126.1	8399	8399	8355	7076	5114	3681	2623	3/4 - 2 1/2				
PC3-750-7-490	762	30	1.66	1.78	660	26	2.49	4.34	188.3	12059	12059	12059	12059	9149	6768	4761	1 1/4 - 2 1/2				
PC3-750-8-490	762	30	1.89	2.05	660	26	2.84	5.52	243.6	17989	17989	17328	14859	11265	8333	5864	1 3/4 - 3 1/4				
PC3-750-9-490	762	30	2.21	2.29	660	26	3.31	5.52	327.4	22046	22046	22046	22046	22046	17306	12191	1 3/4 - 3 1/4				
PC3-750-10-490	762	30	2.52	2.56	690	27 3/16	3.78	6.3	389.3	34833	34833	34149	30401	24912	19246	13558	1 3/4 - 3 1/4				
PC3-750-11-490	762	30	2.84	2.72	700	27 9/16	4.26	7.88	498.2	42328	42328	41513	36949	30291	23391	16490	1 3/4 - 3 1/4				
PC3-750-12-490	762	30	3.15	3.04	750	29 1/2	4.73	7.88	657.4	61751	61751	61597	56173	48876	39617	29541	3 - 3 1/4				
PC3-750-13-490	762	30	3.15	3.35	740	29 1/8	4.73	7.88	651.7	63779	63779	63603	58003	50463	40917	30511	3 - 3 1/4				
PC3-750-4-530	762	30	0.95	0.99	660	26	1.42	3.94	109.3	4034	4034	4034	4034	3549	2469	1785	1/2 - 1 1/2				
PC3-750-5-530	762	30	1.19	1.15	660	26	1.78	3.94	110.2	5224	5224	5224	5158	3571	2469	1807	1/2 - 1 1/2				
PC3-750-6-530	762	30	1.42	1.62	660	26	2.13	4.34	153.4	8399	8399	8399	8399	6261	4497	3218	3/4 - 2 1/2				
PC3-750-7-530	762	30	1.66	1.78	660	26	2.49	4.34	188.3	12059	12059	12059	12059	9149	6768	4761	1 1/4 - 2 1/2				
PC3-750-8-530	762	30	1.89	2.05	660	26	2.84	6.3	277.1	20547	20547	19797	16975	12874	9523	6702	1 3/4 - 3 1/4				
PC3-750-9-530	762	30	2.21	2.29	660	26	3.31	5.52	327.4	22046	22046	22046	22046	22046	17306	12191	1 3/4 - 3 1/4				
PC3-750-10-530	762	30	2.52	2.56	690	27 3/16	3.78	6.3	389.3	34833	34833	34149	30401	24912	19246	13558	1 3/4 - 3 1/4				
PC3-750-11-530	762	30	2.84	2.72	700	27 9/16	4.26	8.67	545.9	46561	46561	45657	40653	33311	25727	18121	1 3/4 - 3 1/4				
PC3-750-12-530	762	30	3.15	3.04	750	29 1/2	4.73	7.88	657.4	61751	61751	61597	56173	48876	39617	29541	3 - 3 1/4				
PC3-750-13-530	762	30	3.15	3.35	740	29 1/8	4.73	8.67	713.4	67968	67968	67968	63801	55512	44996	33554	3 - 3 1/4				
PC3-750-4-560	762	30	0.95	0.99	690	27 3/16	1.42	3.94	111.3	4034	4034	4034	4034	3924	3086	2469	1/2 - 1 1/2				
PC3-750-5-560	762	30	1.19	1.15	690	27 3/16	1.78	3.55	126.3	5577	5577	5577	5577	5577	4607	3681	1/2 - 1 1/2				
PC3-750-6-560	762	30	1.42	1.62	690	27 3/16	2.13	3.94	170.6	8399	8399	8399	8399	8399	7451	5908	3/4 - 2 1/2				
PC3-750-7-560	762	30	1.66	1.78	690	27 3/16	2.49	5.52	242.5	12059	12059	12059	12059	12059	10008	7936	1 1/4 - 2 1/2				
PC3-750-8-560	762	30	1.89	2.05	690	27 3/16	2.84	4.73	283.5	24052	24052	24052	23567	19665	16181	12852	1 3/4 - 3 1/4				
PC3-750-9-560	762	30	2.21	2.29	690	27 3/16	3.31	5.52	333.3	22046	22046	22046	22046	22046	18981	15079	1 3/4 - 3 1/4				
PC3-750-10-560	762	30	2.52	2.56	690	27 3/16	3.78	7.49	459.4	35979	35979	35979	35979	30467	25066	19907	1 3/4 - 3 1/4				
PC3-750-11-560	762	30	2.84	2.72	720	28 3/8	4.26	7.09	567	52337	52337	52337	52337	46561	39352	31944	1 3/4 - 3 1/4				
PC3-750-12-560	762	30	3.15	3.04	730	28 3/4	4.73	7.88	638.5	53219	53219	53219	53219	52095	44026	35736	3 - 3 1/4				
PC3-750-13-560	762	30	3.15	3.35	740	29 1/8	4.73	9.85	806.2	67968	67968	67968	67968	63845	53969	43805	3 - 3 1/4				
PC3-750-4-600	762	30	0.95	0.99	690	27 3/16	1.42	3.55	124.6	3549	3549	3549	3549	3549	3549	3549	1/2 - 1 1/2				
PC3-750-5-600	762	30	1.19	1.15	690	27 3/16	1.78	3.94	168.2	5930	5930	5930	5930	5930	5930	5930	1/2 - 1 1/2				
PC3-750-6-600	762	30	1.42	1.62	690	27 3/16	2.13	5.52	237.7	8399	8399	8399	8399	8399	8399	8289	3/4 - 2 1/2				
PC3-750-7-600	762	30	1.66	1.78	690	27 3/16	2.49	4.73	277.6	12059	12059	12059	12059	12059	12059	12059	1 1/4 - 2 1/2				
PC3-750-8-600	762	30	1.89	2.05	690	27 3/16	2.84	5.91	348.1	16711	16711	16711	16711	16711	16711	16666	1 3/4 - 3 1/4				
PC3-750-9-600	762	30	2.21	2.29	690	27 3/16	3.31	7.88	471.8	22046	22046	22046	22046	22046	22046	21539	1 3/4 - 3 1/4				
PC3-750-10-600	762	30	2.52	2.56	710	27 15/16	3.78	7.09	550.5	38779	38779	38779	38779	38779	38779	32738	1 3/4 - 3 1/4				
PC3-750-11-600	762	30	2.84	2.72	720	28 3/8	4.26	9.06	718.7	52337	52337	52337	52337	52337	52337	40807	1 3/4 - 3 1/4				
PC3-750-12-600	762	30	3.15	3.04	730	28 3/4	4.73	11.42	913.8	53219	53219	53219	53219	53219	53219	51808	3 - 3 1/4				


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F.

Part Number	Pipe O/D		A		B		C		D		E	Weight	Load Capacity (lbf) at Temperature F						Compatible with Rod Sizes
	mm	in	in	in	mm	in	in	in	in	in			lbs	662	752	914	986	1040	
PC3-850-4-400	863.6	34	0.95	0.99	710	27 15/16	1.42	2.56	79.4	3681	3505								1/2 - 1 1/2
PC3-850-5-400	863.6	34	1.19	1.15	710	27 15/16	1.78	4.34	136	5930	5643								1/2 - 1 1/2
PC3-850-6-400	863.6	34	1.42	1.62	710	27 15/16	2.13	4.34	173.7	8399	8201								3/4 - 2 1/2
PC3-850-7-400	863.6	34	1.66	1.78	710	27 15/16	2.49	5.91	283.5	12059	12059								1 1/4 - 2 1/2
PC3-850-8-400	863.6	34	1.89	2.05	710	27 15/16	2.84	5.91	384.5	19665	19665								1 3/4 - 3 1/4
PC3-850-9-400	863.6	34	2.21	2.29	730	28 3/4	3.31	5.91	397.7	22046	22046								1 3/4 - 3 1/4
PC3-850-10-400	863.6	34	2.52	2.56	770	30 5/16	3.78	7.09	499.1	31393	31129								1 3/4 - 3 1/4
PC3-850-11-400	863.6	34	2.84	2.72	800	31 1/2	4.26	7.88	716.3	52624	52381								1 3/4 - 3 1/4
PC3-850-12-400	863.6	34	3.15	3.04	810	31 7/8	4.73	7.88	727.5	52977	52756								3 - 3 1/4
PC3-850-13-400	863.6	34	3.15	3.35	820	32 5/16	4.73	9.45	883.2	62589	62324								3 - 3 1/4
PC3-850-4-490	863.6	34	0.95	0.99	740	29 1/8	1.42	3.94	122.4	4034	4034	4034	4034	3351	2336	1697			1/2 - 1 1/2
PC3-850-5-490	863.6	34	1.19	1.15	740	29 1/8	1.78	3.94	124.3	5864	5864	5467	4585	3174	2204	1609			1/2 - 1 1/2
PC3-850-6-490	863.6	34	1.42	1.62	740	29 1/8	2.13	3.94	158.1	8399	8399	8259	7010	5092	3681	2623			3/4 - 2 1/2
PC3-850-7-490	863.6	34	1.66	1.78	740	29 1/8	2.49	4.34	210.1	12059	12059	10846	8245	6106	4299				1 1/4 - 2 1/2
PC3-850-8-490	863.6	34	1.89	2.05	740	29 1/8	2.84	5.91	290.1	17284	17284	16666	14308	10890	8068	5687			1 3/4 - 3 1/4
PC3-850-9-490	863.6	34	2.21	2.29	740	29 1/8	3.31	5.52	364.4	22046	22046	22046	22046	20282	15674	11089			1 3/4 - 3 1/4
PC3-850-10-490	863.6	34	2.52	2.56	740	29 1/8	3.78	6.3	424.8	31393	31393	30798	27447	22575	17460	12323			1 3/4 - 3 1/4
PC3-850-11-490	863.6	34	2.84	2.72	760	29 15/16	4.26	8.67	597.7	41998	41998	41204	36729	30203	23346	16490			1 3/4 - 3 1/4
PC3-850-12-490	863.6	34	3.15	3.04	800	31 1/2	4.73	7.88	710.8	57298	57298	57187	52205	45437	36971	27623			3 - 3 1/4
PC3-850-13-490	863.6	34	3.15	3.35	800	31 1/2	4.73	8.67	777.8	63426	63426	63316	57783	50309	40917	30578			3 - 3 1/4
PC3-850-4-530	863.6	34	0.95	0.99	740	29 1/8	1.42	3.94	122.4	4034	4034	4034	4034	3351	2336	1697			1/2 - 1 1/2
PC3-850-5-530	863.6	34	1.19	1.15	740	29 1/8	1.78	4.34	136.5	6459	6459	6018	5048	3483	2447	1763			1/2 - 1 1/2
PC3-850-6-530	863.6	34	1.42	1.62	740	29 1/8	2.13	4.73	188.9	8399	8399	8399	8399	6128	4409	3152			3/4 - 2 1/2
PC3-850-7-530	863.6	34	1.66	1.78	740	29 1/8	2.49	4.73	228.6	12059	12059	12059	11816	8994	6657	4695			1 1/4 - 2 1/2
PC3-850-8-530	863.6	34	1.89	2.05	740	29 1/8	2.84	4.73	310.2	23435	23435	23435	21032	17284	13360	9435			1 3/4 - 3 1/4
PC3-850-9-530	863.6	34	2.21	2.29	740	29 1/8	3.31	5.52	364.4	22046	22046	22046	22046	20282	15674	11089			1 3/4 - 3 1/4
PC3-850-10-530	863.6	34	2.52	2.56	740	29 1/8	3.78	7.09	476	33686	33686	33686	30886	25397	19621	13867			1 3/4 - 3 1/4
PC3-850-11-530	863.6	34	2.84	2.72	780	30 11/16	4.26	7.09	619.7	48766	48766	48766	47906	41711	33929	25353			1 3/4 - 3 1/4
PC3-850-12-530	863.6	34	3.15	3.04	800	31 1/2	4.73	7.88	710.8	57298	57298	57187	52205	45437	36971	27623			3 - 3 1/4
PC3-850-13-530	863.6	34	3.15	3.35	800	31 1/2	4.73	9.45	845.7	67968	67968	67968	63052	54895	44643	33355			3 - 3 1/4
PC3-850-4-560	863.6	34	0.95	0.99	760	29 15/16	1.42	3.94	123.7	4034	4034	4034	4034	3703	2932	2336			1/2 - 1 1/2
PC3-850-5-560	863.6	34	1.19	1.15	760	29 15/16	1.78	3.55	140.4	5335	5335	5335	5335	5136	4122	3284			1/2 - 1 1/2
PC3-850-6-560	863.6	34	1.42	1.62	760	29 15/16	2.13	3.94	188.9	8355	8355	8355	8355	8355	7010	5555			3/4 - 2 1/2
PC3-850-7-560	863.6	34	1.66	1.78	760	29 15/16	2.49	5.91	287.7	12059	12059	12059	12059	11927	9656	7650			1 1/4 - 2 1/2
PC3-850-8-560	863.6	34	1.89	2.05	760	29 15/16	2.84	4.73	313.7	23435	23435	23435	21252	17791	14638	11640			1 3/4 - 3 1/4
PC3-850-9-560	863.6	34	2.21	2.29	760	29 15/16	3.31	5.91	394	22046	22046	22046	22046	22046	2046	18396			1 3/4 - 3 1/4
PC3-850-10-560	863.6	34	2.52	2.56	760	29 15/16	3.78	8.27	558.4	33686	33686	33686	33686	30467	25066	19951			1 3/4 - 3 1/4
PC3-850-11-560	863.6	34	2.84	2.72	780	30 11/16	4.26	7.09	619.7	48766	48766	48766	48237	42218	35758	29034			1 3/4 - 3 1/4
PC3-850-12-560	863.6	34	3.15	3.04	800	31 1/2	4.73	9.06	812.8	65896	65896	65763	60450	52910	44797	36376			3 - 3 1/4
PC3-850-13-560	863.6	34	3.15	3.35	800	31 1/2	4.73	10.63	947.3	67968	67968	67968	67968	62501	52932	42990			3 - 3 1/4
PC3-850-4-600	863.6	34	0.95	0.99	760	29 15/16	1.42	3.94	155	4034	4034	4034	4034	4034	4034	4034			1/2 - 1 1/2
PC3-850-5-600	863.6	34	1.19	1.15	760	29 15/16	1.78	3.94	187	5643	5643	5643	5643	5643	5643	5489			1/2 - 1 1/2
PC3-850-6-600	863.6	34	1.42	1.62	760	29 15/16	2.13	5.91	282	8355	8355	8355	8355	8355	8355	8355			3/4 - 2 1/2
PC3-850-7-600	863.6	34	1.66	1.78	760	29 15/16	2.49	4.73	307.8	12059	12059	12059	12059	12059	12059	11993			1 1/4 - 2 1/2
PC3-850-8-600	863.6	34	1.89	2.05	760	29 15/16	2.84	6.7	441.1	23435	23435	23435	23435	23435	20723	16490			1 3/4 - 3 1/4
PC3-850-9-600	863.6	34	2.21	2.29	760	29 15/16	3.31	8.67	573.2	22046	22046	22046	22046	22046	22046	21473			1 3/4 - 3 1/4
PC3-850-10-600	863.6	34	2.52	2.56	760	29 15/16	3.78	7.09	600.1	36199	36199	36199	36199	36199	36199	36199			1 3/4 - 3 1/4
PC3-850-11-600	863.6	34	2.84	2.72	780	30 11/16	4.26	9.85	852.5	48766	48766	48766	48766	48766	48766	48766			1 3/4 - 3 1/4
PC3-850-12-600	863.6	34	3.15	3.04	800	31 1/2	4.73	13	1152.6	69621	69621	69621	69621	69621	64264	52205			3 - 3 1/4


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe O/D		A		B		C		D		E		Weight	Load Capacity (lbf) at Temperature F						Compatible with Rod Sizes
	mm	in	in	in	mm	in	mm	in	mm	in	mm	in		662	752	914	986	1040	1076	
PC3-900-4-400	914.4	36	0.95	0.99	740	29 1/8	1.42	3.55	114.6	4034	4034									1/2 - 1 1/2
PC3-900-5-400	914.4	36	1.19	1.15	740	29 1/8	1.78	4.34	142.9	5489	5247									1/2 - 1 1/2
PC3-900-6-400	914.4	36	1.42	1.62	740	29 1/8	2.13	5.12	213.8	8399	8399									3/4 - 2 1/2
PC3-900-7-400	914.4	36	1.66	1.78	740	29 1/8	2.49	5.91	300.5	12059	12059									1 1/4 - 2 1/2
PC3-900-8-400	914.4	36	1.89	2.05	740	29 1/8	2.84	5.91	401.7	18871	18871									1 3/4 - 3 1/4
PC3-900-9-400	914.4	36	2.21	2.29	760	29 15/16	3.31	5.91	415.1	22046	22046									1 3/4 - 3 1/4
PC3-900-10-400	914.4	36	2.52	2.56	790	31 1/8	3.78	7.09	517.4	30423	30581									1 3/4 - 3 1/4
PC3-900-11-400	914.4	36	2.84	2.72	830	32 11/16	4.26	7.88	746.9	49780	49581									1 3/4 - 3 1/4
PC3-900-12-400	914.4	36	3.15	3.04	830	32 11/16	4.73	7.88	752.9	51279	51081									3 - 3 1/4
PC3-900-13-400	914.4	36	3.15	3.35	850	33 7/16	4.73	10.24	992.5	64154	63912									3 - 3 1/4
PC3-900-4-490	914.4	36	0.95	0.99	760	29 15/16	1.42	3.94	127.9	4034	4034	4034	4034	3152	2204	1587				1/2 - 1 1/2
PC3-900-5-490	914.4	36	1.19	1.15	760	29 15/16	1.78	3.94	129.4	5732	5732	5379	4519	3152	2226	1609				1/2 - 1 1/2
PC3-900-6-490	914.4	36	1.42	1.62	760	29 15/16	2.13	4.34	181	8399	8399	8399	7231	5313	3858	2733				3/4 - 2 1/2
PC3-900-7-490	914.4	36	1.66	1.78	760	29 15/16	2.49	4.34	218.5	12059	12059	12059	10626	8157	6084	4276				1 1/4 - 2 1/2
PC3-900-8-490	914.4	36	1.89	2.05	760	29 15/16	2.84	6.3	321.2	17923	17923	17328	14947	11486	8553	6018				1 3/4 - 3 1/4
PC3-900-9-490	914.4	36	2.21	2.29	760	29 15/16	3.31	5.52	383.2	22046	22046	22046	22046	19334	15013	10692				1 3/4 - 3 1/4
PC3-900-10-490	914.4	36	2.52	2.56	770	30 5/16	3.78	6.3	443.3	30467	30467	29960	26830	22244	17262	12301				1 3/4 - 3 1/4
PC3-900-11-490	914.4	36	2.84	2.72	780	30 11/16	4.26	8.67	620.2	40741	40741	40057	35847	29718	23082	16446				1 3/4 - 3 1/4
PC3-900-12-490	914.4	36	3.15	3.04	830	32 11/16	4.73	7.88	741.4	54123	54123	54123	49515	43232	35494	26675				3 - 3 1/4
PC3-900-13-490	914.4	36	3.15	3.35	820	32 5/16	4.73	9.06	840.8	64242	64242	64242	58797	51323	42130	31658				3 - 3 1/4
PC3-900-4-530	914.4	36	0.95	0.99	760	29 15/16	1.42	3.94	127.9	4034	4034	4034	4034	3152	2204	1587				1/2 - 1 1/2
PC3-900-5-530	914.4	36	1.19	1.15	760	29 15/16	1.78	3.55	145.9	6724	6724	6724	6106	4497	3262	2314				1/2 - 1 1/2
PC3-900-6-530	914.4	36	1.42	1.62	760	29 15/16	2.13	3.94	197.3	8399	8399	8399	8399	7385	5511	3858				3/4 - 2 1/2
PC3-900-7-530	914.4	36	1.66	1.78	760	29 15/16	2.49	5.12	257.3	12059	12059	12059	12059	9656	7187	5048				1 1/4 - 2 1/2
PC3-900-8-530	914.4	36	1.89	2.05	760	29 15/16	2.84	4.73	322.5	22465	22465	22465	20569	17041	13249	9435				1 3/4 - 3 1/4
PC3-900-9-530	914.4	36	2.21	2.29	760	29 15/16	3.31	5.52	378.8	22046	22046	22046	22046	19995	15520	11067				1 3/4 - 3 1/4
PC3-900-10-530	914.4	36	2.52	2.56	770	30 5/16	3.78	7.09	496.9	32275	32275	32275	30181	25022	19422	13822				1 3/4 - 3 1/4
PC3-900-11-530	914.4	36	2.84	2.72	800	31 1/2	4.26	7.09	642.6	46737	46737	46737	46671	40741	33444	25132				1 3/4 - 3 1/4
PC3-900-12-530	914.4	36	3.15	3.04	830	32 11/16	4.73	8.27	776.9	56835	56835	56835	52007	45393	37258	27998				3 - 3 1/4
PC3-900-13-530	914.4	36	3.15	3.35	820	32 5/16	4.73	9.85	911.2	67637	67637	67637	63889	55776	45790	34414				3 - 3 1/4
PC3-900-4-560	914.4	36	0.95	0.99	790	31 1/8	1.42	4.34	142.9	4034	4034	4034	4034	3791	3020	2403				1/2 - 1 1/2
PC3-900-5-560	914.4	36	1.19	1.15	790	31 1/8	1.78	3.55	147	5114	5114	5114	5114	5092	4078	3262				1/2 - 1 1/2
PC3-900-6-560	914.4	36	1.42	1.62	790	31 1/8	2.13	3.94	198.2	8245	8245	8245	8245	8157	6613	5247				3/4 - 2 1/2
PC3-900-7-560	914.4	36	1.66	1.78	790	31 1/8	2.49	6.3	320.6	12059	12059	12059	12059	12059	10163	8068				1 1/4 - 2 1/2
PC3-900-8-560	914.4	36	1.89	2.05	790	31 1/8	2.84	4.73	327.4	22465	22465	22465	20789	17482	14418	11508				1 3/4 - 3 1/4
PC3-900-9-560	914.4	36	2.21	2.29	790	31 1/8	3.31	5.91	411.2	22046	22046	22046	22046	21980	18099	14462				1 3/4 - 3 1/4
PC3-900-10-560	914.4	36	2.52	2.56	790	31 1/8	3.78	8.27	582.9	32275	32275	32275	30246	25995	20669	19687				1 3/4 - 3 1/4
PC3-900-11-560	914.4	36	2.84	2.72	800	31 1/2	4.26	7.09	642.6	46737	46737	46737	46737	41226	35119	28571				1 3/4 - 3 1/4
PC3-900-12-560	914.4	36	3.15	3.04	830	32 11/16	4.73	9.45	883.4	64948	64948	64948	59811	52514	44709	36398				3 - 3 1/4
PC3-900-13-560	914.4	36	3.15	3.35	820	32 5/16	4.73	11.03	1016.6	67637	67637	67637	63228	53858	43827	3 - 3 1/4				
PC3-900-4-600	914.4	36	0.95	0.99	790	31 1/8	1.42	3.94	162.3	4034	4034	4034	4034	4034	4034	3593				1/2 - 1 1/2
PC3-900-5-600	914.4	36	1.19	1.15	790	31 1/8	1.78	3.94	195.8	5423	5423	5423	5423	5423	5423	5423				1/2 - 1 1/2
PC3-900-6-600	914.4	36	1.42	1.62	790	31 1/8	2.13	6.3	315.3	8245	8245	8245	8245	8245	8245	8245				3/4 - 2 1/2
PC3-900-7-600	914.4	36	1.66	1.78	790	31 1/8	2.49	4.73	321.7	12059	12059	12059	12059	12059	12059	11860				1 1/4 - 2 1/2
PC3-900-8-600	914.4	36	1.89	2.05	790	31 1/8	2.84	7.09	487.2	22465	22465	22465	22465	22465	21605	17262				1 3/4 - 3 1/4
PC3-900-9-600	914.4	36	2.21	2.29	790	31 1/8	3.31	7.09	614.6	22046	22046	22046	22046	22046	22046	22046				1 3/4 - 3 1/4
PC3-900-10-600	914.4	36	2.52	2.56	790	31 1/8	3.78	7.49	659.8	34700	34700	34700	34700	34700	34700	30930				1 3/4 - 3 1/4
PC3-900-11-600	914.4	36	2.84	2.72	800	31 1/2	4.26	9.85	884.1	46737	46737	46737	46737	46737	46737	39683				1 3/4 - 3 1/4
PC3-900-12-600	914.4	36	3.15	3.04	830	32 11/16	4.73	13.39	1238.3	67858	67858	67858	67858	67858	63338	51544				3 - 3 1/4


PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F.

Part Number	Pipe O/D		A		B		C		D		E		Weight	Load Capacity (lbf) at Temperature F							Compatible with Rod Sizes
	mm	in	in	in	mm	in	mm	in	mm	in	mm	in		662	752	914	986	1040	1076	1112	
PC3-950-4-400	965.2	38	0.95	0.99	770	30 5/16	1.42	3.55	120.2	4034	4034									1/2 - 1 1/2	
PC3-950-5-400	965.2	38	1.19	1.15	770	30 5/16	1.78	4.34	149.5	5379	5158									1/2 - 1 1/2	
PC3-950-6-400	965.2	38	1.42	1.62	770	30 5/16	2.13	5.12	223.3	8399	8399									3/4 - 2 1/2	
PC3-950-7-400	965.2	38	1.66	1.78	770	30 5/16	2.49	5.91	314.4	12059	12059									1 1/4 - 2 1/2	
PC3-950-8-400	965.2	38	1.89	2.05	770	30 5/16	2.84	5.91	420.2	18540	18540									1 3/4 - 3 1/4	
PC3-950-9-400	965.2	38	2.21	2.29	790	31 1/8	3.31	5.91	433.6	22046	22046									1 3/4 - 3 1/4	
PC3-950-10-400	965.2	38	2.52	2.56	820	32 5/16	3.78	7.88	595.5	32848	32584									1 3/4 - 3 1/4	
PC3-950-11-400	965.2	38	2.84	2.72	850	33 7/16	4.26	7.88	772.3	48281	48126									1 3/4 - 3 1/4	
PC3-950-12-400	965.2	38	3.15	3.04	860	33 7/16	4.73	8.67	858	53285	53285									3 - 3 1/4	
PC3-950-13-400	965.2	38	3.15	3.35	870	34 1/4	4.73	11.03	1100.8	66976	66755									3 - 3 1/4	
PC3-950-4-490	965.2	38	0.95	0.99	790	31 1/8	1.42	3.94	133.6	4034	4034	4034	4034	3152	2248	1609				1/2 - 1 1/2	
PC3-950-5-490	965.2	38	1.19	1.15	790	31 1/8	1.78	4.34	149	5842	5842	5489	4629	3284	2336	1675				1/2 - 1 1/2	
PC3-950-6-490	965.2	38	1.42	1.62	790	31 1/8	2.13	4.34	188.9	8399	8399	8355	7098	5291	3880	2733				3/4 - 2 1/2	
PC3-950-7-490	965.2	38	1.66	1.78	790	31 1/8	2.49	4.34	228.2	12059	12059	10449	8113	6084	4254					1 1/4 - 2 1/2	
PC3-950-8-490	965.2	38	1.89	2.05	790	31 1/8	2.84	6.3	335.3	17482	17482	16931	14682	11419	8553	5996				1 3/4 - 3 1/4	
PC3-950-9-490	965.2	38	2.21	2.29	790	31 1/8	3.31	5.52	400.6	22046	22046	22046	22046	18518	14462	10383				1 3/4 - 3 1/4	
PC3-950-10-490	965.2	38	2.52	2.56	790	31 1/8	3.78	6.7	487.2	31019	31019	31019	27910	23991	18232	13095				1 3/4 - 3 1/4	
PC3-950-11-490	965.2	38	2.84	2.72	830	32 11/16	4.26	7.09	670	45723	45723	45723	44357	38845	32231	24361				1 3/4 - 3 1/4	
PC3-950-12-490	965.2	38	3.15	3.04	850	33 7/16	4.73	7.88	766.5	52536	52536	52536	48325	42306	35119	26543				3 - 3 1/4	
PC3-950-13-490	965.2	38	3.15	3.35	850	33 7/16	4.73	9.45	912.7	63426	63426	63426	58356	51081	42394	32055				3 - 3 1/4	
PC3-950-4-530	965.2	38	0.95	0.99	790	31 1/8	1.42	3.94	133.6	4034	4034	4034	4034	3152	2248	1609				1/2 - 1 1/2	
PC3-950-5-530	965.2	38	1.19	1.15	790	31 1/8	1.78	3.55	152.6	6724	6724	6724	6018	4475	3284	2314				1/2 - 1 1/2	
PC3-950-6-530	965.2	38	1.42	1.62	790	31 1/8	2.13	3.94	206.1	8399	8399	8399	8399	7363	5511	3858				3/4 - 2 1/2	
PC3-950-7-530	965.2	38	1.66	1.78	790	31 1/8	2.49	5.12	268.7	12059	12059	12059	9590	7209	5048					1 1/4 - 2 1/2	
PC3-950-8-530	965.2	38	1.89	2.05	790	31 1/8	2.84	4.73	337.3	21980	21980	21671	19466	16314	12742	9149				1 3/4 - 3 1/4	
PC3-950-9-530	965.2	38	2.21	2.29	790	31 1/8	3.31	5.52	395.1	21847	21847	21847	21847	19819	15454	11111				1 3/4 - 3 1/4	
PC3-950-10-530	965.2	38	2.52	2.56	790	31 1/8	3.78	7.09	515	31019	31019	31019	29541	24757	19932	13867				1 3/4 - 3 1/4	
PC3-950-11-530	965.2	38	2.84	2.72	830	32 11/16	4.26	7.09	670	45723	45723	45723	44357	38845	32231	24361				1 3/4 - 3 1/4	
PC3-950-12-530	965.2	38	3.15	3.04	850	33 7/16	4.73	8.67	840.2	57783	57783	57783	53153	46539	38624	29189				3 - 3 1/4	
PC3-950-13-530	965.2	38	3.15	3.35	850	33 7/16	4.73	10.24	985.9	66050	66050	66050	63206	55336	45922	34722				3 - 3 1/4	
PC3-950-4-560	965.2	38	0.95	0.99	820	32 5/16	1.42	4.34	149.3	4034	4034	4034	4034	3769	3020	2403				1/2 - 1 1/2	
PC3-950-5-560	965.2	38	1.19	1.15	820	32 5/16	1.78	3.94	172	6724	6724	6724	6724	5335	4299	3417				1/2 - 1 1/2	
PC3-950-6-560	965.2	38	1.42	1.62	820	32 5/16	2.13	4.34	229.7	8399	8399	8399	8399	8399	6922	5467				3/4 - 2 1/2	
PC3-950-7-560	965.2	38	1.66	1.78	820	32 5/16	2.49	6.3	334.7	12059	12059	12059	12059	10097	8002					1 1/4 - 2 1/2	
PC3-950-8-560	965.2	38	1.89	2.05	820	32 5/16	2.84	4.73	342.2	21980	21980	21671	19687	16666	13778	11045				1 3/4 - 3 1/4	
PC3-950-9-560	965.2	38	2.21	2.29	820	32 5/16	3.31	5.91	428.8	21847	21847	21847	21847	21693	17923	14352				1 3/4 - 3 1/4	
PC3-950-10-560	965.2	38	2.52	2.56	820	32 5/16	3.78	8.27	607.2	31019	31019	31019	31019	29519	24383	19532				1 3/4 - 3 1/4	
PC3-950-11-560	965.2	38	2.84	2.72	830	32 11/16	4.26	7.49	706.1	45723	45723	45723	45723	41490	35660	29012				1 3/4 - 3 1/4	
PC3-950-12-560	965.2	38	3.15	3.04	850	33 7/16	4.73	9.45	913.8	63052	63052	63052	58312	51389	44048	35935				3 - 3 1/4	
PC3-950-13-560	965.2	38	3.15	3.35	850	33 7/16	4.73	11.42	1095.9	66050	66050	66050	66050	62479	53550	43673				3 - 3 1/4	
PC3-950-4-600	965.2	38	0.95	0.99	820	32 5/16	1.42	3.94	169.5	4034	4034	4034	4034	4034	3034	2571				1/2 - 1 1/2	
PC3-950-5-600	965.2	38	1.19	1.15	820	32 5/16	1.78	3.94	204.6	5202	5202	5202	5202	5202	5202	5202				1/2 - 1 1/2	
PC3-950-6-600	965.2	38	1.42	1.62	820	32 5/16	2.13	4.73	334.4	8399	8399	8399	8399	8399	8399	8399				3/4 - 2 1/2	
PC3-950-7-600	965.2	38	1.66	1.78	820	32 5/16	2.49	5.12	364	12059	12059	12059	12059	12059	12059	12059				1 1/4 - 2 1/2	
PC3-950-8-600	965.2	38	1.89	2.05	820	32 5/16	2.84	7.09	509.5	22090	22090	22090	22090	22090	20657	16556				1 3/4 - 3 1/4	
PC3-950-9-600	965.2	38	2.21	2.29	820	32 5/16	3.31	7.09	642	22046	22046	22046	22046	22046	22046	22046				1 3/4 - 3 1/4	
PC3-950-10-600	965.2	38	2.52	2.56	820	32 5/16	3.78	7.49	688.9	33973	33973	33973	33973	33973	33973	29718				1 3/4 - 3 1/4	
PC3-950-11-600	965.2	38	2.84	2.72	830	32 11/16	4.26	10.24	958.1	45723	45723	45723	45723	45723	45723	39705				1 3/4 - 3 1/4	
PC3-950-12-600	965.2	38	3.15	3.04	850	33 7/16	4.73	13.39	1281.3	65146	65146	65146	65146	65146	65146	65146				3 - 3 1/4	

PC3 PIPE CLAMP THREE BOLT TYPE



Material: Carbon Steel to 752°F Alloy Steel above 752°F

Part Number	Pipe OD		A		B		C		D		E		Load Capacity (lbf) at Temperature F							Compatible with Rod Sizes
	mm	in	in	in	mm	in	mm	in	mm	in	lbs	662	752	914	986	1040	1076	1112		
PC3-1000-4-400	1016	40	0.95	0.99	790	31 1/8	1.42	3.55	124.8	3990	3990								1/2 - 1 1/2	
PC3-1000-5-400	1016	40	1.19	1.15	790	31 1/8	1.78	4.34	193.1	6724	6724								1/2 - 1 1/2	
PC3-1000-6-400	1016	40	1.42	1.62	790	31 1/8	2.13	5.12	231.5	8399	8399								3/4 - 2 1/2	
PC3-1000-7-400	1016	40	1.66	1.78	790	31 1/8	2.49	5.91	325.6	12059	12059								1 1/4 - 2 1/2	
PC3-1000-8-400	1016	40	1.89	2.05	790	31 1/8	2.84	5.91	435.2	17967	17967								1 3/4 - 3 1/4	
PC3-1000-9-400	1016	40	2.21	2.29	810	31 7/8	3.31	5.91	448.6	22046	22046								1 3/4 - 3 1/4	
PC3-1000-10-400	1016	40	2.52	2.56	840	33 1/16	3.78	7.88	615.8	31834	31570								1 3/4 - 3 1/4	
PC3-1000-11-400	1016	40	2.84	2.72	880	34 5/8	4.26	7.88	800.5	46782	46605								1 3/4 - 3 1/4	
PC3-1000-12-400	1016	40	3.15	3.04	890	35 1/16	4.73	8.67	889.3	51522	51522								3 - 3 1/4	
PC3-1000-13-400	1016	40	3.15	3.35	900	35 7/16	4.73	11.03	1140.7	64837	64595								3 - 3 1/4	
PC3-1000-4-490	1016	40	0.95	0.99	820	32 5/16	1.42	3.94	139.3	4034	4034	4034	4034	3020	2116	1521			1/2 - 1 1/2	
PC3-1000-5-490	1016	40	1.19	1.15	820	32 5/16	1.78	4.34	155.4	5665	5665	5313	4475	3152	2226	1609			1/2 - 1 1/2	
PC3-1000-6-490	1016	40	1.42	1.62	820	32 5/16	2.13	4.34	196.9	8399	8399	8068	6856	5070	3681	2623			3/4 - 2 1/2	
PC3-1000-7-490	1016	40	1.66	1.78	820	32 5/16	2.49	4.73	258.8	12059	12059	11001	8487	6327	4431				1 1/4 - 2 1/2	
PC3-1000-8-490	1016	40	1.89	2.05	820	32 5/16	2.84	6.3	349	16953	16953	16402	14153	10912	8157	5709				1 3/4 - 3 1/4
PC3-1000-9-490	1016	40	2.21	2.29	820	32 5/16	3.31	5.52	411.8	21627	21627	21627	21627	18342	14263	10185				1 3/4 - 3 1/4
PC3-1000-10-490	1016	40	2.52	2.56	820	32 5/16	3.78	7.09	537	30666	30666	30666	27623	22950	17857	12742				1 3/4 - 3 1/4
PC3-1000-11-490	1016	40	2.84	2.72	860	33 7/8	4.26	7.09	695.6	44246	44246	44246	42835	37434	30820	23192				1 3/4 - 3 1/4
PC3-1000-12-490	1016	40	3.15	3.04	880	34 5/8	4.73	7.88	795	50904	50904	50904	46649	40763	33576	25264				3 - 3 1/4
PC3-1000-13-490	1016	40	3.15	3.35	880	34 5/8	4.73	9.85	984.8	63845	63845	63845	58665	51257	42218	31768				3 - 3 1/4
PC3-1000-4-530	1016	40	0.95	0.99	820	32 5/16	1.42	3.94	139.3	4034	4034	4034	4034	3020	2116	1521				1/2 - 1 1/2
PC3-1000-5-530	1016	40	1.19	1.15	820	32 5/16	1.78	3.55	159	6724	6724	6724	5820	4299	3130	2226				1/2 - 1 1/2
PC3-1000-6-530	1016	40	1.42	1.62	820	32 5/16	2.13	3.94	214.7	8399	8399	8399	8399	7032	5247	3681				3/4 - 2 1/2
PC3-1000-7-530	1016	40	1.66	1.78	820	32 5/16	2.49	5.12	280	12059	12059	11904	9193	6856	4806					1 1/4 - 2 1/2
PC3-1000-8-530	1016	40	1.89	2.05	820	32 5/16	2.84	4.73	351	21318	21318	20988	18805	15630	12169	8686				1 3/4 - 3 1/4
PC3-1000-9-530	1016	40	2.21	2.29	820	32 5/16	3.31	5.52	411.8	21627	21627	21627	21627	18342	14263	10185				1 3/4 - 3 1/4
PC3-1000-10-530	1016	40	2.52	2.56	820	32 5/16	3.78	7.88	595	30666	30666	30666	26507	19841	14153					1 3/4 - 3 1/4
PC3-1000-11-530	1016	40	2.84	2.72	860	33 7/8	4.26	7.09	695.6	44246	44246	44246	42835	37434	30820	23192				1 3/4 - 3 1/4
PC3-1000-12-530	1016	40	3.15	3.04	880	34 5/8	4.73	8.67	871.5	55997	55997	55997	51323	44842	36927	27800				3 - 3 1/4
PC3-1000-13-530	1016	40	3.15	3.35	880	34 5/8	4.73	10.63	1061.1	63845	63845	63845	63360	55358	45591	34303				3 - 3 1/4
PC3-1000-4-560	1016	40	0.95	0.99	840	33 1/16	1.42	4.34	154.8	4034	4034	4034	4034	3637	2888	2292				1/2 - 1 1/2
PC3-1000-5-560	1016	40	1.19	1.15	840	33 1/16	1.78	3.94	178.1	6724	6724	6724	6525	5114	4122	3262				1/2 - 1 1/2
PC3-1000-6-560	1016	40	1.42	1.62	840	33 1/16	2.13	4.34	238.1	8399	8399	8399	8399	8157	6635	5247				3/4 - 2 1/2
PC3-1000-7-560	1016	40	1.66	1.78	840	33 1/16	2.49	6.3	346.8	12059	12059	12059	12059	11927	9678	7672				1 1/4 - 2 1/2
PC3-1000-8-560	1016	40	1.89	2.05	840	33 1/16	2.84	5.12	383.2	21406	21406	21406	20591	17350	14308	11441				1 3/4 - 3 1/4
PC3-1000-9-560	1016	40	2.21	2.29	840	33 1/16	3.31	6.3	473.8	21627	21627	21627	21627	21473	17703	14153				1 3/4 - 3 1/4
PC3-1000-10-560	1016	40	2.52	2.56	840	33 1/16	3.78	7.09	676.2	32870	32870	32870	32870	32870	32870	26984				1 3/4 - 3 1/4
PC3-1000-11-560	1016	40	2.84	2.72	860	33 7/8	4.26	7.49	733	44246	44246	44246	44246	39991	34127	27778				1 3/4 - 3 1/4
PC3-1000-12-560	1016	40	3.15	3.04	880	34 5/8	4.73	9.85	986.1	63008	63008	63008	58665	51566	44004	35825				3 - 3 1/4
PC3-1000-13-560	1016	40	3.15	3.35	880	34 5/8	4.73	11.82	1175.3	63845	63845	63845	63845	62258	53109	43254				3 - 3 1/4
PC3-1000-4-600	1016	40	0.95	0.99	840	33 1/16	1.42	4.34	193.3	4034	4034	4034	4034	4034	3769	112				1/2 - 1 1/2
PC3-1000-5-600	1016	40	1.19	1.15	840	33 1/16	1.78	3.94	212.1	5048	5048	5048	5048	5048	5048	5048				1/2 - 1 1/2
PC3-1000-6-600	1016	40	1.42	1.62	840	33 1/16	2.13	4.73	346.6	8399	8399	8399	8399	8399	8399	8399				3/4 - 2 1/2
PC3-1000-7-600	1016	40	1.66	1.78	840	33 1/16	2.49	5.52	405.9	12059	12059	12059	12059	12059	12059	12059				1 1/4 - 2 1/2
PC3-1000-8-600	1016	40	1.89	2.05	840	33 1/16	2.84	7.49	556.4	21406	21406	21406	21406	21406	20899	16711				1 3/4 - 3 1/4
PC3-1000-9-600	1016	40	2.21	2.29	840	33 1/16	3.31	7.09	664.5	22046	22046	22046	22046	22046	22046	22046				1 3/4 - 3 1/4
PC3-1000-10-600	1016	40	2.52	2.56	840	33 1/16	3.78	7.88	749.6	32870	32870	32870	32870	32870	32870	29982				1 3/4 - 3 1/4
PC3-1000-11-600	1016	40	2.84	2.72	860	33 7/8	4.26	11.03	1070.1	44246	44246	44246	44246	44246	44246	40939				1 3/4 - 3 1/4